		Hits	Search Text	DB	Time stamp
_	Number-			110000	0004/05/55
-	- !	763	,	USPAT;	2004/07/09
			client or user)	US-PGPUB;	16:22
		· ·		EPO; DERWENT	
		1	(notif\$5 near2 event near5 (subscriber or		2004/07/00
-	-	1	client or user)) and (prepar\$5 or	USPAT; US-PGPUB;	2004/07/09
			generat\$5 or creat\$5 or utiliz\$4) near5	EPO;	10.24
			notif\$6 near5 (tcp or IP or internet or	DERWENT	
			protocol or standard or smtp or ftp)	DEI(112111	
-	_	234	(notif\$5 near2 event near5 (subscriber or	USPAT;	2004/07/09
į			client or user)) and (prepar\$5 or	US-PGPUB;	16:15
			generat\$5 or creat\$5 or utiliz\$4) near5	EPO;	İ
			(tcp or IP or internet or protocol or	DERWENT	
			standard or smtp or ftp)		
-	-	60	((notif\$5 near2 event near5 (subscriber	USPAT;	2004/07/09
			or client or user)) and (prepar\$5 or	US-PGPUB;	16:28
			generat\$5 or creat\$5 or utiliz\$4) near5	EPO;	
			(tcp or IP or internet or protocol or	DERWENT	
			standard or smtp or ftp)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4)		
1			near5 (tcp or IP or internet or protocol		
			or standard or smtp or ftp) near5		
			(notif\$5 or acknowled\$5 or awar\$5 or		
			informing or inform or signal or message		
- 1			or event or detetect\$5 or mail)		
-	-	48	' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '	USPAT;	2004/07/09
			or client or user)) and (prepar\$5 or	US-PGPUB;	16:47
			generat\$5 or creat\$5 or utiliz\$4) near5	EPO;	
		•	(tcp or IP or internet or protocol or	DERWENT	
			standard or smtp or ftp)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4)		
			near5 (tcp or IP or internet or protocol		
			or standard or smtp or ftp) near5		
			(notif\$5 or acknowled\$5 or awar\$5 or		
			informing or inform or signal or message		
			or event or detetect\$5 or mail)) and		
			(notif\$5 or acknowled\$5 or awar\$5 or		
			informing or inform or signal or message		
			or event or detetect\$5 or mail) near2		
		_	server		0004/07/00
-	-	5	((((notif\$5 near2 event near5 (subscriber	USPAT; US-PGPUB;	2004/07/09
			or client or user)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4) near5	EPO;	10:32
			(tcp or IP or internet or protocol or	DERWENT	
			standard or smtp or ftp)) and (prepar\$5		
			or generat\$5 or creat\$5 or utiliz\$4)		
			near5 (tcp or IP or internet or protocol		
			or standard or smtp or ftp) near5		
			(notif\$5 or acknowled\$5 or awar\$5 or		
			informing or inform or signal or message		
			or event or detetect\$5 or mail)) and		
			(notif\$5 or acknowled\$5 or awar\$5 or		
			<pre>informing or inform or signal or message or event or detetect\$5 or mail) near2</pre>		
			server) and @ad<19990620		
	_	4293	notif\$5 near3 (messag\$5 or event or	USPAT;	2004/07/09
		12,5	receipt or arrival) near5 (subscriber or	US-PGPUB;	16:48
	:		client or user or pager or box or email	EPO;	
-			or electronic\$3)	DERWENT	

-	366		USPAT;	2004/07/09
		receipt or arrival) near5 (subscriber or	US-PGPUB;	16:46
		client or user or pager or box or email	EPO; DERWENT	
		or electronic\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or	DEKMENI	
	1	implemented) near5 (tcp or IP or internet		
		or protocol or standard or smtp or ftp)		
		near5 (notif\$5 or acknowled\$5 or awar\$5		
		or informing or inform or signal or		
		message or event or detetect\$5 or mail or		
		arrival or receip\$5)		
_	376	(notif\$5 near3 (messag\$5 or event or	USPAT;	2004/07/09
		receipt or arrival) near5 (subscriber or	US-PGPUB;	16:49
		client or user or pager or box or email	EPO;	
		or electronic\$3)) and (prepar\$5 or	DERWENT	
		generat\$5 or creat\$5 or utiliz\$4 or		
		implemented) near5 (tcp or IP or internet		
		or protocol or standard or smtp or ftp)		
		near5 (notif\$5 or acknowled\$5 or awar\$5		
		or informing or inform or signal or		•
		message or event or detect\$5 or mail or		
		arrival or receip\$5)		,
-	200	((notif\$5 near3 (messag\$5 or event or	USPAT;	2004/07/09
		receipt or arrival) near5 (subscriber or	US-PGPUB;	16:50
		client or user or pager or box or email	EPO;	
		or electronic\$3)) and (prepar\$5 or	DERWENT	
		generat\$5 or creat\$5 or utiliz\$4 or		
		implemented) near5 (tcp or IP or internet		
		or protocol or standard or smtp or ftp)		
		near5 (notif\$5 or acknowled\$5 or awar\$5		
		or informing or inform or signal or		
		message or event or detect\$5 or mail or		
		arrival or receip\$5)) and (notif\$5 or acknowled\$5 or awar\$5 or informing or		
		inform or signal or message or event or		
		detect\$5 or mail) near2 server		
_	6625	notif\$7 near3 (messag\$5 or event or	USPAT;	2004/07/09
	0023	receipt or arrival) near5 (subscriber or	US-PGPUB;	16:48
		client or user or pager or box or email	EPO;	
		or electronic\$3)	DERWENT	
_	394	(notif\$5 near3 (messag\$5 or event or	USPAT;	2004/07/09
		receipt or arrival) near5 (subscriber or	US-PGPUB;	19:07
		client or user or pager or box or email	EPO;	
		or electronic\$3)) and (prepar\$5 or	DERWENT	
		generat\$5 or creat\$5 or utiliz\$4 or		
		implemented) near5 (tcp or IP or internet		
		or protocol or standard or smtp or ftp)		
		near5 (notif\$8 or acknowled\$5 or awar\$5		
		or informing or inform or signal or		
		message or event or detect\$5 or mail or		
	217	arrival or receip\$5) ((notif\$5 near3 (messag\$5 or event or	USPAT;	2004/07/09
-	21/	receipt or arrival) near5 (subscriber or	US-PGPUB;	19:09
		client or user or pager or box or email	EPO;	10.00
		or electronic\$3)) and (prepar\$5 or	DERWENT	
		generat\$5 or creat\$5 or utiliz\$4 or		
		implemented) near5 (tcp or IP or internet		
		or protocol or standard or smtp or ftp)		
		near5 (notif\$8 or acknowled\$5 or awar\$5		
		or informing or inform or signal or		
		message or event or detect\$5 or mail or		
		arrival or receip\$5)) and (notif\$8 or		
		acknowled\$5 or awar\$5 or informing or		
		inform or signal or messag\$5 or event or		
		detect\$5 or mail) near2 server		

	102	-(-(-(notif\$5-near3-(messag\$5-or-event-or-	-USPAT;	2004/07/09
		receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or	US-PGPUB; EPO; DERWENT	18:32
-	18	message or event or detect\$5 or mail or arrival or receip\$5)) and (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or messag\$5 or event or detect\$5 or mail) near2 server) and notif\$8 near5 request\$4 ((((notif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3)) and (prepar\$5 or	USPAT; US-PGPUB; EPO; DERWENT	2004/07/09 18:35
		generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or message or event or detect\$5 or mail or arrival or receip\$5)) and (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or messag\$5 or event or detect\$5 or mail) near2 server) and		
-	1	notif\$8 near5 request\$4) and @ad<19990620 ("9475147").PN.	USPAT; US-PGPUB; EPO; DERWENT	2004/07/09 18:07
-	212	(((notif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or message or event or detect\$5 or mail or arrival or receip\$5)) and (notif\$8 or	USPAT; US-PGPUB; EPO; DERWENT	2004/07/09 18:34
		acknowled\$5 or awar\$5 or informing or inform or signal or messag\$5 or event or detect\$5 or mail) near2 server) and notif\$8 near5 (request\$4 or message or mail or server or device or unit or adapter or interfac\$5)		
	212	(((notif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or message or event or detect\$5 or mail or arrival or receip\$5)) and (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or messag\$5 or event or detect\$5 or mail) near2 server) and notif\$8 near5 (request\$4 or message or mail or server or device or unit or adapter or interfac\$5 or driver or card or protocol or application)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/09 19:10

Sol ((((Intiff\$5 near3 messag\$5 or event-or client or user or pager or box or email or electronic33)) and (prepar\$5 or internet or protocol or standard or smtp or ftp) near5 (notif\$8 or acknowled\$5 or avar\$5 or informing or inform or signal or message or event or detect\$5 or mail or arrival or receip\$5)) and (notif\$8 or acknowled\$5 or mail or arrival or arrival near5 (stotif\$8 or acknowled\$5 or mail or message or mail or arrival near5 (stotif\$8 or aknowled\$5 or mail or message or mail or server or device or unit or adapter or interfac\$5 or driver or card or protocol or application)) and (motif\$8 near5 (request\$4 or message or mail or server or device or unit or adapter or interfac\$5 or driver or card or protocol or application)) and (motif\$8 near5 (request\$4 or message or mail or arrival) near5 (subscriber or client or user or pager or box or email or electronic33)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (top or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or electronic33) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (top or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or arrival) near5 (subscriber or client or user or pager or box or email or arrival or receip\$5) and (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or message or event or detect\$5 or mail or arrival or receip\$5) and (notif\$8 or acknowled\$5 or mail or arrival or receip\$5) and (notif\$8 or acknowled\$5 or mail or arrival near5 (subscriber or client or user or pager or box or email or arrival near5 (subscriber or client or user or pager or box or email or arrival near5 (subscriber or client or user or pager or box or email or electronic33) and (prepar\$5 or mail or arrival near5 (subscriber or client or user or pager or box or email or electronic33) and (prepar\$5 or mail or electronic33) and or near5 (subscriber or client or user or
client or user or pager or box or email or electronic3)) and (prepars5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (top or IP or internet or protocol or standard or smtp or ftp) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or message or event or detect\$5 or mail or arrival or receip\$5)) and (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or messag5 or event or detect\$5 or mail or server or device or unit or adapter or interfac\$5 or driver or card optrotocol or application)) and (add19990620 application)) and (prepar\$5 or generat\$5 or creat\$5 or driver or card or electronic\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (top or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or message or event or detect\$5 or mail or arrival or receip\$5) 220 ((notif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or arrival or receip\$5) - 230 ((notif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3]) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (top or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or message or event or detect\$5 or mail or arrival or receip\$5) and (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or message or event or detect\$5 or whill iz\$4 or implemented) near5 (top or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or message or event or detect\$5 or whill iz\$4 or implemented) near5 (top or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or messag5 or or event or receip\$50 or creat\$5 or or t
or electronic\$3]) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or message or event or detect\$5 or mail or arrival or receip\$5) and (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or messag\$6 or event or detect\$5 or mail notif\$8 near5 (request\$4 or message or mail or server or device or unit or adapter or interfac\$5 or driver or card or protocol or application)) and (ead<1990620 (Inotif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or message or event or detect\$5 or mail or electronic\$3) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or message or event or detect\$5 or mail or arrival or receip\$5) - 230 ((inotif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (top or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or event or detect\$5 or mail or arrival or receip\$5) - 224 ((notif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3) and (prepar\$5 or event or detect\$5 or mail or arrival or receip\$5) - 226 ((notif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or electronic\$3) and (prepar\$5 or event or receipt or arrival) near5 (notif
generatis or creatis or utilizis or implemented hears (top or IP or internet or protocol or standard or smtp or ftp) nears (notifis or acknowled\$5 or awar\$5 or informing or inform or signal or message or event or detect\$5 or mail or arrival or receip\$5) and (notifis or acknowled\$5 or awar\$5 or informing or inform or signal or messag\$5 or event or detect\$5 or mail) near2 serverly and notifis near5 (request\$4 or message or mail or server or device or unit or adapter or interfac\$5 or driver or card or protocol or application)) and @ad<19990620 (notif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (top or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or arrival or receip\$5 - 230 ((notif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (top or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or message or event or detect\$5 or mail or electronic\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (top or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or message or event or detect\$5 or mail or arrival or receip\$5) - 224 ((notif\$5 hear3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3)) and (prepar\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (top or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8
implemented) near5 (tcp or IF or internet or protocol or standard or smtp or ftp) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or message or event or detect\$5 or mail or acknowled\$5 or awar\$5 or informing or inform or signal or message or event or detect\$5 or war10 or acknowled\$5 or awar\$5 or informing or inform or signal or message or mail or acknowled\$5 or awar\$5 or informing or inform or signal or message or mail or server or device or unit or adapter or interfac\$5 or driver or card or protocol or application)) and (sad<19990620 412 (notif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IF or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or message or event or detect\$5 or mail or arrival or receip\$5) ((notif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IF or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or message or event or detect\$5 or mail or arrival or receip\$5) and (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or message or event or detect\$5 or mail or arrival or receip\$5) and (notif\$8 or acknowled\$5 or acknowled\$5 or awar\$5 or informing or inform or signal or message or event or detect\$5 or mail or electronic\$3)) and (prepar\$5 or event or client or user or pager or box or email or electronic\$3) and (prepar\$5 or event or detect\$5 or mail or arrival or receip\$5) event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3) and (prepar\$5 or event or detect\$5 or mail or electronic\$3) or message\$5 or event or detect\$5 or mail or e
or protocol or standard or smtp or ftp) near5 (notifs% or acknowled\$5 or awar\$5 or informing or inform or signal or message or event or detect\$5 or mail or arrival or receip\$5)) and (notifs% or acknowled\$5 or awar\$5 or informing or inform or signal or messag\$5 or event or detect\$5 or mail) near2 server) and notifs% near3 (request\$4 or message or mail or server or device or unit or adapter or interfac\$5 or driver or card or protocol or application)) and @ad<19990620 - 412 (notif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic(\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (top or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or arrival or receip\$5) ((notif\$5 near3 (messag\$5 or event or client or user or pager or box or email or arrival or receip\$5) ((notif\$5 near3 (messag\$5 or event or client or user or pager or box or email or electronic(\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (top or IP or internet or protocol or standard or smtp or ftp or arrival or receip\$5)) and (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or messag\$5 or event or detect\$5 or mail or alert\$4) near2 server (((notif\$5 near3 (messag\$5 or event or detect\$5 or mail or alert\$6 (user) or electronic(\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented (near5) (top or IP or internet or receipt or arrival) near5 (subscriber or client or user or pager or box or email or arrival or receip\$5)) and (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or messag\$5 or event or detect\$5 or mail or alert\$6 (user) or electronic(\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented (near5) (top or IP or internet or implemented (
near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or message or event or detect\$5 or mail or arrival or receip\$5)) and (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or messag\$5 or event or detect\$5 or mail) near2 server) and notif\$8 near5 (request\$4 or message or mail or server or device or unit or adapter or interfac\$5 or driver or card or protocol or application)) and (add)9990620 - 412 (notif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3)) and (prepar\$5 or generat\$5 or creat\$5 or tiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or electronic\$3)) and (prepar\$5 or generat\$5 or creat\$5 or williz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or messag\$5 or event or receipt or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or messag\$5 or event or awar\$5 or informing or inform or signal or messag\$5 or event or awar\$5 or informing or inform or signal or messag\$5 or event or actect\$5 or mail or alert\$4) near2 server (((notif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3)) and (prepar\$5 or mail or alert\$4) near5 (subscriber or client or user or pager or box or email or electronic\$3) and (prepar\$5 or mail or alert\$4) near2 server (((notif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3)) and (prepar\$5 or mail or alert\$4) near2 server (((notif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3)) and (prepar\$5 or mail or electronic\$3) or or endit or electronic\$5 o
or informing or inform or signal or message or event or detect\$5 or mail or arrival or receip\$5)) and (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or messag\$5 or event or detect\$5 or mail) near\$5 every and notif\$8 near\$5 (request\$4 or message or mail or server or device or unit or adapter or interfac\$5 or driver or card or protocol or application)) and (@ad<19990620 (notif\$5 near\$3 (messag\$5 or event or receipt or arrival) near\$5 (subscriber or client or user or pager or box or email or electronic(\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near\$5 (top or IP or internet or protocol or standard or smtp or ftp or http) near\$6 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or message or event or detect\$5 or mail or electronic(\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near\$5 (top or IP or internet or protocol or standard or smtp or ftp or http) near\$6 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or message or event or detect\$5 or mail or arrival or receip\$5)) and (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or message or event or detect\$5 or mail or arrival or receip\$5)) and (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or electronic(\$3)) and (prepar\$5 or generat\$5 or creat\$5 or williz\$4 or implemented or anger or box or email or arrival) near\$5 (subscriber or creat\$5 or mail or alent\$4\frac{4}{2}\$ near\$2 server (((notif\$5 near\$3 (messag\$5 or event or detect\$5 or mail or arrival) near\$5 (subscriber or or inform or signal or message or event or detect\$5 or mail or arrival or receip\$5)) and (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or electronic(\$3)) and (prepar\$5 or generat\$5 or triliz\$4 or implemented) near\$5 (rop or IP or internet or implemented) ne
or informing or inform or signal or message or event or detect\$5 or mail or arrival or receip\$5)) and (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or messag\$5 or event or detect\$5 or mail or arrival or application)) and (adapter or interfac\$5 or driver or card or protocol or application)) and (ada(3)990620) - 412 - 412 - 412 - 412 - 412 - 412 - 412 - 412 - 412 - 412 - 412 - 412 - 412 - 412 - 412 - 412 - 513
message or event or detect\$5 or mail or arrival or receipt\$5) and (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or messag\$5 or event or detect\$5 or mail) near2 server) and notif\$8 near5 (request\$4 or message or mail or server or device or unit or adapter or interfac\$5 or driver or card or protocol or application)) and (8ad<19990620) - 412 (notif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or arrival or receip\$5) ((notif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or message or event or detect\$5 or mail or arrival or receip\$5) - 224 ((notif\$5 near3 (messag\$5 or event or acknowled\$5 or awar\$5 or informing or informing or inform or signal or message or event or detect\$5 or mail or arrival or receip\$5) and (notif\$8 or acknowled\$5 or acknowled\$5 or awar\$5 or informing or inform or signal or message or event or detect\$5 or mail or arrival or receip\$5) (USPAT; USPAT; U
arrival or receip\$5)) and (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or messag\$5 or event or detect\$5 or mail) near2 server) and notif\$8 near5 (request\$4 or message or mail or server or device or unit or adapter or interfac\$5 or driver or card or protocol or application)) and (adx1990620 (notif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or electronic\$3]) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or grotocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or advar\$5 or informing or inform or signal or message or event or detect\$5 or mail or arrival or receip\$5]) and (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or message or event or detect\$5 or wail or arrival or receip\$5]) and (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or messag\$5 or event or detect\$5 or wail or arrival or receip\$5]) and (notif\$8 or or detect\$5 or mail or arrival or receip\$5]) and (notif\$8 or or detect\$5 or mail or arrival or receip\$5]) and (notif\$8 or or detect\$5 or mail or arrival or receip\$5]) and (notif\$8 or detect\$5 or mail or arrival or receip\$5]) and (notif\$8 or detect\$5 or mail or arrival or receip\$5]) and (notif\$8 or detect\$5 or mail or arrival or receip\$5]) and (notif\$8 or detect\$5 or mail or arrival or receip\$5]) and (notif\$8 or detect\$5 or mail or arrival or receip\$5] or detect\$5 or went or detect\$5 or went or detect\$5 or mail or arrival or receip\$5] and (notif\$8 or detect\$5 or mail or arrival or receip\$5] and (notif\$8 or detect\$5 or mail or arrival or receip\$5] and (notif\$8 or detect\$5 or de
acknowled\$5 or awar\$5 or informing or inform or signal or messag\$5 or event or detect\$5 or mail) near2 server) and notif\$8 near5 (request\$4 or message or mail or server or device or unit or adapter or interfac\$5 or driver or card or protocol or application)) and (ada(19900620) - 412 (notif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or messags or implemented) near5 (request\$5 or utiliz\$4 or implemented) near5 (request\$5 or different or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or messags or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3]) and (prepar\$5 or client or user or pager or box or email or electronic\$3]) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or message or event or detect\$5 or mail or arrival or receip\$5)] and (prepar\$5 or event or awar\$5 or informing or inform or signal or message or event or detect\$5 or mail or arrival or receip\$5]) and (notif\$8 or acknowled\$5 or event or client or user or pager or box or email or electronic\$3]) and (prepar\$5 or or client or user or pager or box or email or electronic\$3]) and (prepar\$5 or or client or user or pager or box or email or electronic\$3]) and (prepar\$5 or or event or user\$6 or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or event or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or avent or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or or acknowled\$5 or
inform or signal or messag\$5 or event or detect\$5 or mail near2 server) and notif\$8 near5 (request\$4 or message or mail or server or device or unit or adapter or interfac\$5 or driver or card or protocol or application)) and (ada(1990620) - 412 (notif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or message or event or detect\$5 or mail or arrival or receip\$5) - 230 ((notif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or message or event or awar\$5 or informing or inform or signal or message or event or awar\$5 or informing or inform or signal or message or event or detect\$5 or mail or arrival or neceip\$5)) and (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or message or event or client or user or pager or box or email or electronic\$3)) and (prepar\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3)) and (prepar\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3)) and (prepar\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3)) and (prepar\$5 or event or receipt or arrival or electronic\$3) or detect\$5 or mail or electronic\$3) or detect\$5 or mail or electronic\$3) or detect\$5 or mail or electronic\$5) or detect\$5 or mail or
detect\$5 or mail) near2 server) and notif\$8 near5 (request\$4 or message or mail or server or device or unit or adapter or interfac\$5 or driver or card or protocol or application)) and @ad<19990620 412 412 412 412 413 414 415 416 416 417 417 418 418 419 419 419 419 419 410 410 410
notif\$8 near5 (request\$4 or message or mail or server or device or unit or adapter or interfac\$5 or driver or card or protocol or application)) and (adad)9990620 10 (notif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or mail or arrival or receip\$5) 10 230 ((notif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (subscriber or client or user or pager or box or email or electronic\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or message or event or detect\$5 or mail or arrival or receip\$5)) and (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or messag\$5 or event or ((notif\$5 near3 (messag\$5 or event or receip\$5) and (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or messag\$5 or event or client or user or pager or box or email or electronic\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) hear5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or nessag\$5 or event or receip\$5 or detect\$5 or mail or electronic\$3) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) hear5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or nessag\$5 or event or receip\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) hear5 (notif\$8 or acknowled\$5 or
mail or server or device or unit or adapter or interfac\$5 or driver or card or protocol or application)) and (@ad<19990620) 412 (notif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or arrival or receip\$5) ((notif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or message or event or detect\$5 or mail or arrival or receip\$5)) and (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or messag\$5 or event or detect\$5 or mail or arrival or receip\$5) and (notif\$8 or acknowled\$5 or creat\$5 or utiliz\$4 or inform or signal or messag\$5 or event or detect\$5 or mail or alert\$4 near2 server (((notif\$5 near3 (messag\$5 or event or client or user or pager or box or email or electronic\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or aven or receip\$5) or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or nestandard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or nestandard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal
adapter or interface\$ or driver or card or protocol or application)) and (@ad(19990620) ((notif\$\$ near\$ (messag\$\$ or event or receipt or arrival) near\$ (subscriber or client or user or pager or box or email or electronic\$3)) and (prepar\$\$ or generat\$\$ or creat\$\$ or utiliz\$\$4 or implemented) near\$ (tcp or IP or internet or protocol or standard or smtp or ftp or http) near\$ (notif\$\$8 or acknowled\$\$ or awar\$\$ or informing or inform or signal or message or event or receipt or arrival) near\$ (subscriber or client or user or pager or box or email or electronic\$3)) and (prepar\$\$ or generat\$\$ or creat\$\$ or utiliz\$\$4 or implemented) near\$ (tcp or IP or internet or protocol or standard or smtp or ftp or http) near\$ (notif\$\$8 or acknowled\$\$ or generat\$\$ or creat\$\$ or utiliz\$\$4 or implemented) near\$ (tcp or IP or internet or protocol or standard or smtp or ftp or http) near\$ (notif\$\$8 or acknowled\$\$ or awar\$\$\$ or inform or signal or message or event or detect\$\$ or mail or arrival or receip\$\$)) and (notif\$\$ or acknowled\$\$ or awar\$\$ or inform or signal or messag\$\$ or event or detect\$\$ or mail or arrival or receip\$\$)) and (notif\$\$ or acknowled\$\$ or acknowled\$\$ or acknowled\$\$ or or client or user or pager or box or email or electronic\$3)) and (prepar\$\$ or client or user or pager or box or email or electronic\$3)) and (prepar\$\$ or or client or user or pager or box or email or protocol or standard or smtp or ftp or http) near\$ (notif\$\$ or or por internet or protocol or standard or smtp or ftp or http) near\$ (notif\$\$ or or por internet or protocol or standard or smtp or ftp or http) near\$ (notif\$\$ or or por internet or protocol or standard or smtp or ftp or http) near\$ (notif\$\$ or or por internet or protocol or standard or smtp or ftp or http) near\$ (notif\$\$\$ or acknowled\$\$ or awar\$\$ or informing or inform or signal or messag\$\$ or event or receipt or arrival) near\$ (notif\$\$ or por por por por por por por por por
or protocol or application)) and (@ad<19990620 (notif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or arrival or receipt) or atmosphemented or subscriber or awar\$5 or informing or inform or signal or electronic\$3)) and (prepar\$5 or awar\$5 or informing or inform or signal or arrival or receip\$5) ((notif\$\$ near3 (messag\$\$ or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$\$ or acknowled\$5 or awar\$5 or informing or inform or signal or message or event or detect\$5 or mail or arrival or receip\$5)) and (notif\$\$ or acknowled\$5 or awar\$5 or informing or inform or signal or message or event or detect\$5 or mail or arrival or receip\$5)) and (notif\$\$ or acknowled\$5 or ackn
deadc19990620 (notif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3]) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or message or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3]) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 near3 (messag\$5 or event or detect\$5 or mail or awar\$5 or informing or inform or signal or message or event or detect\$5 or mail or arrival or receip\$5]) and (notif\$8 or acknowled\$5 or acknowled\$5 or awar\$5 or informing or inform or signal or messag\$5 or event or detect\$5 or mail or arrival or receip\$5]) and (notif\$8 or acknowled\$5 or mail or alert\$4] near2 server (((notif\$5 near3 (messag\$5 or event or detect\$5 or mail or alert\$4] near2 server (((notif\$5 near3 (messag\$5 or event or detect\$5 or mail or electronic\$3]) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or inform or signal or messag\$5 or event or detect\$5 or mail or alert\$4] near2 server (((notif\$5 near3 (messag\$5 or event or detect\$5 or mail or electronic\$3]) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or informing or inform or signal or near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or near5 (tcp or
Inotif\$\$ near3 (messag\$\$ or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3]) and (prepar\$\$ or generat\$\$ or creat\$\$ or utiliz\$\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$\$8 or acknowled\$\$5 or avar\$\$5 or informing or inform or signal or arrival or receip\$\$5) ((notif\$\$5 near3 (messag\$\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3)) and (prepar\$\$5 or generat\$\$5 or creat\$\$5 or utiliz\$\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$\$8 or acknowled\$\$5 or awar\$\$5 or informing or inform or signal or message or event or detect\$\$5 or mail or arrival or receip\$\$5)) and (notif\$\$8 or acknowled\$\$5 or awar\$\$5 or informing or inform or signal or message or event or detect\$\$5 or mail or arrival or receip\$\$5)) and (notif\$\$8 or acknowled\$\$5 or acknowled\$\$5 or awar\$\$5 or informing or inform or signal or message or event or detect\$\$5 or mail or alert\$\$4\$ near2 server (((notif\$\$5 near3 (messag\$\$5 or event or detect\$\$5 or mail or alert\$\$4\$) near2 server (((notif\$\$5 near3 (messag\$\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3)) and (prepar\$\$5 or generat\$\$5 or creat\$\$5 or utiliz\$\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$\$8 or acknowled\$\$5 or awar\$\$5 or informing or inform or signal
receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or message or event or detect\$5 or mail or arrival or receip\$5) - 230 ((notif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or mail or message or event or detect\$5 or mail or arrival or receip\$5)) and (notif\$8 or acknowled\$5 or acknowled\$5 or or acknowled\$5 or or arrival or receip\$5)) and (notif\$8 or acknowled\$5 or inform or signal or messag\$5 or event or detect\$5 or mail or arrival or nessag\$5 or event or client or user or pager or box or email or electronic\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal
client or user or pager or box or email or electronic\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or arrival or receip\$5) ((notif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or message or event or detect\$5 or mail or arrival or receip\$5)) and (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or messag\$5 or event or detect\$5 or mail or arrival or receip\$5)) and (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or messag\$5 or event or detect\$5 or mail or alert\$4\) near2 server (((notif\$5 near3 (messag\$5 or event or client or user or pager or box or email or electronic\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal
or electronic\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or message or event or detect\$5 or mail or arrival or receip\$5) ((notif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or message or event or detect\$5 or mail or arrival or receip\$5)) and (notif\$8 or acknowled\$5 or acknowled\$5 or awar\$5 or informing or inform or signal or messag\$5 or event or detect\$5 or mail or alert\$4\) near2 server ((notif\$5 near3 (messag\$5 or event or client or user or pager or box or email or electronic\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal
generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or message or event or detect\$5 or mail or arrival or receip\$5) ((notif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or message or event or detect\$5 or mail or arrival or receip\$5)) and (notif\$8 or acknowled\$5 or acknowled\$5 or awar\$5 or informing or inform or signal or messag\$5 or event or detect\$5 or mail or alert\$4) near2 server (((notif\$5 near3 (messag\$5 or event or client or user or pager or box or email or electronic\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal
implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or message or event or detect\$5 or mail or arrival or receip\$5) ((notif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or messag\$6 or event or detect\$5 or mail or arrival or receip\$5)) and (notif\$8 or acknowled\$5 or acknowled\$5 or awar\$5 or informing or inform or signal or messag\$5 or event or detect\$5 or mail or alert\$4\) near2 server (((notif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal
or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or message or event or detect\$5 or mail or arrival or receip\$5) - 230 (notif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or arrival or receip\$5)) and (notif\$8 or acknowled\$5 or acknowled\$5 or avar\$5 or informing or inform or signal or messag\$5 or event or detect\$5 or mail or arrival or messag\$5 or event or detect\$5 or mail or alert\$4\) near2 server (((notif\$5 near3 (messag\$5 or event or detect\$5 or mail or alert\$4\) near2 server (((notif\$5 near3 (messag\$5 or event or cecipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3\)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal
http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or message or event or detect\$5 or mail or arrival or receip\$5) ((notif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or arrival or receip\$5)) and (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or arrival or messag\$5 or event or detect\$5 or mail or arrival or messag\$5 or event or detect\$5 or mail or alert\$4) near2 server (((notif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal
awar\$5 or informing or inform or signal or message or event or detect\$5 or mail or arrival or receip\$5) 230 ((notif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (top or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or message or event or detect\$5 or mail or arrival or receip\$5)) and (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or messag\$5 or event or detect\$5 or mail or alert\$4) near2 server (((notif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (top or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal
or message or event or detect\$5 or mail or arrival or receip\$5) ((notif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or informing or acknowled\$5 or awar\$5 or informing or acknowled\$5 or awar\$5 or informing or inform or signal or messag\$5 or event or detect\$5 or mail or alert\$4\) near2 server (((notif\$5 near3 (messag\$5 or event or detect\$5 or mail or alert\$4\) near2 server (((notif\$5 near5 (messag\$5 or event or client or user or pager or box or email or electronic\$3\)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal
or arrival or receip\$5) ((notif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or message or event or detect\$5 or wail or arrival or receip\$5)) and (notif\$8 or acknowled\$5 or acknowled\$5 or awar\$5 or informing or inform or signal or messag\$5 or event or detect\$5 or mail or alert\$4\) near2 server (((notif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal
((notif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or inform or signal or message or event or detect\$5 or mail or arrival or receip\$5)) and (notif\$8 or acknowled\$5 or acknowled\$5 or awar\$5 or informing or inform or signal or messag\$5 or event or detect\$5 or mail or alert\$4) near2 server (((notif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal
receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or message or event or detect\$5 or mail or arrival or receip\$5)) and (notif\$8 or acknowled\$5 or acknowled\$5 or awar\$5 or informing or inform or signal or messag\$5 or event or detect\$5 or mail or alert\$4\) near2 server (((notif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal
client or user or pager or box or email or electronic\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or message or event or detect\$5 or mail or arrival or receip\$5)) and (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or messag\$5 or event or detect\$5 or mail or alert\$4) near2 server (((notif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal
or electronic\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or message or event or detect\$5 or mail or arrival or receip\$5)) and (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or messag\$5 or event or detect\$5 or mail or alert\$4) near2 server (((notif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal
generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or message or event or detect\$5 or mail or arrival or receip\$5)) and (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or messag\$5 or event or detect\$5 or mail or alert\$4) near2 server (((notif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal
implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or message or event or detect\$5 or mail or arrival or receip\$5)) and (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or messag\$5 or event or detect\$5 or mail or alert\$4) near2 server (((notif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal
or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or message or event or detect\$5 or mail or arrival or receip\$5)) and (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or messag\$5 or event or detect\$5 or mail or alert\$4) near2 server (((notif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3)) and (prepar\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal
http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or message or event or detect\$5 or mail or arrival or receip\$5)) and (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or messag\$5 or event or detect\$5 or mail or alert\$4) near2 server (((notif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal
awar\$5 or informing or inform or signal or message or event or detect\$5 or mail or arrival or receip\$5)) and (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or messag\$5 or event or detect\$5 or mail or alert\$4) near2 server (((notif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal
or message or event or detect\$5 or mail or arrival or receip\$5)) and (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or messag\$5 or event or detect\$5 or mail or alert\$4) near2 server (((notif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal
or arrival or receip\$5)) and (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or messag\$5 or event or detect\$5 or mail or alert\$4) near2 server (((notif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal
or arrival or receip\$5)) and (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal or messag\$5 or event or detect\$5 or mail or alert\$4) near2 server (((notif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal
acknowled\$5 or awar\$5 or informing or inform or signal or messag\$5 or event or detect\$5 or mail or alert\$4) near2 server (((notif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal
inform or signal or messag\$5 or event or detect\$5 or mail or alert\$4) near2 server (((notif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal
detect\$5 or mail or alert\$4) near2 server (((notif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal
- 224 (((notif\$5 near3 (messag\$5 or event or receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal
receipt or arrival) near5 (subscriber or client or user or pager or box or email or electronic\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal
client or user or pager or box or email or electronic\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal
or electronic\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal
generat\$5 or creat\$5 or utiliz\$4 or implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal
implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal
or protocol or standard or smtp or ftp or http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal
http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal
awar\$5 or informing or inform or signal
or arrival or receip\$5)) and (notif\$8 or
acknowled\$5 or awar\$5 or informing or
inform or signal or messag\$5 or event or
detect\$5 or mail or alert\$4) near2
server) and notif\$8 near5 (request\$4 or
message or mail or server or device or
computer or unit or adapter or interfac\$5
or driver or card or protocol or application or http or ftp or smtp)

-	224	(((notif\$5 near3 (messag\$5 or event or	USPAT;	-2004/-07/10
		receipt or arrival) near5 (subscriber or	US-PGPUB;	15:47
		client or user or pager or box or email	EPO;	
		or electronic\$3)) and (prepar\$5 or generat\$5 or creat\$5 or utiliz\$4 or	DERWENT	
		implemented) near5 (tcp or IP or internet		
		or protocol or standard or smtp or ftp or		
		http) near5 (notif\$8 or acknowled\$5 or		
1		awar\$5 or informing or inform or signal		
		or message or event or detect\$5 or mail		
-		or arrival or receip\$5)) and (notif\$8 or		
		acknowled\$5 or awar\$5 or informing or inform or signal or messag\$5 or event or		
		detect\$5 or mail or alert\$4) near2		
	ļ	server) and notif\$8 near5 (request\$4 or		
		select\$5 or choos\$5 or mechanism or		
		format or pager or message or mail or		
		server or device or computer or unit or		
		adapter or interfac\$5 or driver or card		
		or protocol or application or http or ftp		
1_	51	or smtp) ((((notif\$5 near3 (messag\$5 or event or	USPAT;	2004/07/09
-] 31	receipt or arrival) near5 (subscriber or	US-PGPUB;	19:38
	1	client or user or pager or box or email	EPO;	
		or electronic\$3)) and (prepar\$5 or	DERWENT	
		generat\$5 or creat\$5 or utiliz\$4 or		
		implemented) near5 (tcp or IP or internet		
		or protocol or standard or smtp or ftp or		
		http) near5 (notif\$8 or acknowled\$5 or awar\$5 or informing or inform or signal		
		or message or event or detect\$5 or mail		
		or arrival or receip\$5)) and (notif\$8 or		
		acknowled\$5 or awar\$5 or informing or		
		inform or signal or messag\$5 or event or		
		detect\$5 or mail or alert\$4) near2		
		server) and notif\$8 near5 (request\$4 or		
		select\$5 or choos\$5 or mechanism or format or pager or message or mail or		
		server or device or computer or unit or		
		adapter or interfac\$5 or driver or card		
	1	or protocol or application or http or ftp		
	†	or smtp)) and @ad<19990620		
-	222	((((notif\$5 near3 (messag\$5 or event or	USPAT;	2004/07/09
		receipt or arrival) near5 (subscriber or	US-PGPUB;	19:38
		client or user or pager or box or email or electronic\$3)) and (prepar\$5 or	EPO; DERWENT	
		generat\$5 or creat\$5 or utiliz\$4 or	DERWENT	
		implemented) near5 (tcp or IP or internet		
		or protocol or standard or smtp or ftp or		
		http) near5 (notif\$8 or acknowled\$5 or		
		awar\$5 or informing or inform or signal		
		or message or event or detect\$5 or mail or arrival or receip\$5)) and (notif\$8 or		
		acknowled\$5 or awar\$5 or informing or		
		inform or signal or messag\$5 or event or		
		detect\$5 or mail or alert\$4) near2		
		server) and notif\$8 near5 (request\$4 or		
		select\$5 or choos\$5 or mechanism or	1	
		format or pager or message or mail or		
		server or device or computer or unit or adapter or interfac\$5 or driver or card	}	
		or protocol or application or http or ftp		
		or smtp)) and (user or client or		
		customer or subscrib\$5 or person or		
		recipient or destin\$5 or device) near4		
		(select\$5 or choice or prefer\$5 or		
		profil\$3 or request\$5 or mechanism or		
		type or device or pager or e?mail or mail or voice)		
L	<u> </u>	or Agree)	L	L

-	222	((((notif\$5 near3 (messag\$5 or event or	USPAT;	-2004/-07/-09
		receipt or arrival) near5 (subscriber or	US-PGPUB;	19:38
		client or user or pager or box or email	EPO;	
		or electronic\$3)) and (prepar\$5 or	DERWENT	,
		generat\$5 or creat\$5 or utiliz\$4 or		
		implemented) near5 (tcp or IP or internet or protocol or standard or smtp or ftp or		
1		http) near5 (notif\$8 or acknowled\$5 or		
		awar\$5 or informing or inform or signal		l l
		or message or event or detect\$5 or mail		
		or arrival or receip\$5)) and (notif\$8 or		
		acknowled\$5 or awar\$5 or informing or		
		inform or signal or messag\$5 or event or		
		detect\$5 or mail or alert\$4) near2		
	ļ	server) and notif\$8 near5 (request\$4 or		
		select\$5 or choos\$5 or mechanism or		•
İ		format or pager or message or mail or		
		server or device or computer or unit or		
		adapter or interfac\$5 or driver or card		
		or protocol or application or http or ftp		
İ		or smtp)) and (user or client or		
		customer or subscrib\$5 or person or		
		recipient or destin\$5 or device or		
		individual) near4 (select\$5 or choice or		
		prefer\$5 or profil\$3 or request\$5 or		
		mechanism or type or device or pager or		
		e?mail or mail or voice)	1100000	2004/07/10
-	51	(((((notif\$5 near3 (messag\$5 or event or	USPAT; US-PGPUB;	2004/07/10 15:17
	•	receipt or arrival) near5 (subscriber or	EPO;	13:17
	:	client or user or pager or box or email or electronic\$3)) and (prepar\$5 or	DERWENT	
		generat\$5 or creat\$5 or utiliz\$4 or	DEKWENI	
		implemented) near5 (tcp or IP or internet		
		or protocol or standard or smtp or ftp or		
		http) near5 (notif\$8 or acknowled\$5 or		
		awar\$5 or informing or inform or signal		
		or message or event or detect\$5 or mail		
	i	or arrival or receip\$5)) and (notif\$8 or		
		acknowled\$5 or awar\$5 or informing or		
	t	inform or signal or messag\$5 or event or		
	İ	detect\$5 or mail or alert\$4) near2		
		server) and notif\$8 near5 (request\$4 or		
		select\$5 or choos\$5 or mechanism or		
		format or pager or message or mail or		į l
		server or device or computer or unit or		
		adapter or interfac\$5 or driver or card		
		or protocol or application or http or ftp		
		or smtp)) and (user or client or customer or subscrib\$5 or person or		
		recipient or destin\$5 or device or		
		individual) near4 (select\$5 or choice or		
		prefer\$5 or profil\$3 or request\$5 or		
		mechanism or type or device or pager or		
		e?mail or mail or voice)) and		
		@ad<19990620		
-	414	(notif\$5 near3 (messag\$5 or event or	USPAT;	2004/07/10
		receipt or arrival) near5 (subscriber or	US-PGPUB;	15:12
	1	client or user or pager or box or email	EPO;	
		or electronic\$3)) and (prepar\$5 or	DERWENT	
		generat\$5 or creat\$5 or utiliz\$4 or		
		implemented) near5 (tcp or IP or internet		
		or protocol or standard or smtp or ftp or		
	1	http or hypertext\$4) near5 (notif\$8 or	}	
	1	acknowled\$5 or awar\$5 or informing or		
	1	inform or signal or message or event or		
L	L	detect\$5 or mail or arrival or receip\$5)		

			•	
[-	342	((notif\$5 near3 (messag\$5 or event or	USPAT;	-2004-/-07-/-10
	0.2	receipt or arrival) near5 (subscriber or	US-PGPUB;	15:16
i		client or user or pager or box or email	EPO;	13.10
	:	or electronic\$3)) and (prepar\$5 or	DERWENT	
			DEKMENI	1
		generat\$5 or creat\$5 or utiliz\$4 or		
		implemented) near5 (tcp or IP or internet		
		or protocol or standard or smtp or ftp or		
		http or hypertext\$4) near5 (notif\$8 or		
		acknowled\$5 or awar\$5 or informing or		
		inform or signal or message or event or		
		detect\$5 or mail or arrival or receip\$5))		
		and (messag\$5 or event or mail or email		
		or electronic\$3) with (prepar\$5 or		
		generat\$5 or creat\$5 or utiliz\$4 or		
		implemented or send\$3 or transmi\$5 or		
		using) near5 (tcp/IP or IP or protocol or		
	}	standard or smtp or ftp or http or	•	
	1	hypertext\$4 or open)		
1_	326	((notif\$5 near3 (messag\$5 or event or	USPAT;	2004/07/10
-	328	receipt or arrival) near5 (subscriber or	US-PGPUB;	15:44
1	1	· · · · · · · · · · · · · · · · · · ·	EPO;	10.44
1		client or user or pager or box or email		
		or electronic\$3)) and (prepar\$5 or	DERWENT	
1		generat\$5 or creat\$5 or utiliz\$4 or	•	
1		implemented) near5 (tcp or IP or internet		
		or protocol or standard or smtp or ftp or		
		http or hypertext\$4) near5 (notif\$8 or		
		acknowled\$5 or awar\$5 or informing or		
		inform or signal or message or event or		
		detect\$5 or mail or arrival or receip\$5))		
		and (messag\$5 or event or mail or email		
		or electronic\$3) near5 (prepar\$5 or		
1		generat\$5 or creat\$5 or utiliz\$4 or		
		implemented or send\$3 or transmi\$5 or		
		using) near5 (tcp/IP or IP or protocol or		
		standard or smtp or ftp or http or		
		hypertext\$4 or open)		
	75	(((notif\$5 near3 (messag\$5 or event or	USPAT;	2004/07/10
	1 /3	receipt or arrival) near5 (subscriber or	US-PGPUB;	15:41
		client or user or pager or box or email	EPO;	15.41
		or electronic\$3)) and (prepar\$5 or	DERWENT]
			DERWENT	
		generat\$5 or creat\$5 or utiliz\$4 or	1	
1		implemented) near5 (tcp or IP or internet	Į.	
	}	or protocol or standard or smtp or ftp or		
		http or hypertext\$4) near5 (notif\$8 or		
		acknowled\$5 or awar\$5 or informing or		
		inform or signal or message or event or		j
		detect\$5 or mail or arrival or receip\$5))		
		and (messag\$5 or event or mail or email		
		or electronic\$3) near5 (prepar\$5 or		
		generat\$5 or creat\$5 or utiliz\$4 or		
		implemented or send\$3 or transmi\$5 or		
		using) near5 (tcp/IP or IP or protocol or		
		standard or smtp or ftp or http or		
		hypertext\$4 or open)) and (receipt or		
		occur\$5 or messag\$5 or event or mail or		
		email or electronic\$3) near5 (detect\$5 or		
		new) with notif\$9		
L	1	1104/ 47011 1100777	J	1

-	32	((((notif\$5 near3 (messag\$5 or event or	USPAT;	2004-/-07-/-10
		receipt or arrival) near5 (subscriber or	US-PGPUB;	15:50
		client or user or pager or box or email	EPO;	ļ
		or electronic\$3)) and (prepar\$5 or	DERWENT	
		generat\$5 or creat\$5 or utiliz\$4 or		
		implemented) near5 (tcp or IP or internet		
		or protocol or standard or smtp or ftp or		
		http or hypertext\$4) near5 (notif\$8 or	ļ '	
		acknowled\$5 or awar\$5 or informing or		
		inform or signal or message or event or		
		detect\$5 or mail or arrival or receip\$5))		
		and (messag\$5 or event or mail or email		
		or electronic\$3) near5 (prepar\$5 or		
		generat\$5 or creat\$5 or utiliz\$4 or		
		implemented or send\$3 or transmi\$5 or		
		using) near5 (tcp/IP or IP or protocol or		
1		standard or smtp or ftp or http or		
1		hypertext\$4 or open)) and (receipt or		
		occur\$5 or messag\$5 or event or mail or		
		email or electronic\$3) near5 (detect\$5 or		j l
		new) with notif\$9) and @ad<19990620		Į į
1_	5	(http or hypertext\$5) near6 (receipt or	USPAT;	2004/07/10
1	1		US-PGPUB;	15:43
		occur\$5 or messag\$5 or event or mail or	· ·	15:43
		email or electronic\$3) near5 (detect\$5 or	EPO;	
		new) with notif\$9	DERWENT	
-	2121	709/206.ccls.	USPAT;	2004/07/10
			US-PGPUB;	15:42
			EPO;	1
			DERWENT	
_	998	709/206.ccls. and (receipt or receiv\$3 or	USPAT;	2004/07/10
		occur\$5 or messag\$5 or event or mail or	US-PGPUB;	15:44
		email or electronic\$3 or arriv\$4 or new	EPO;	
1		or detect\$3) near5 notif\$9	DERWENT	1
_	648	(709/206.ccls. and (receipt or receiv\$3	USPAT;	2004/07/10
	0.10	or occur\$5 or messag\$5 or event or mail	US-PGPUB;	15:45
		or email or electronic\$3 or arriv\$4 or	EPO;	13.45
			DERWENT	
ļ		new or detect\$3) near5 notif\$9) and	DEKWENI	
		(prepar\$5 or generat\$5 or creat\$5 or		
	1	utiliz\$4 or implemented or send\$3 or		
		transmi\$5 or using) near5 (tcp/IP or IP		
		or protocol or standard or smtp or ftp or		
		http or hypertext\$4 or open)	1	
-	613	((709/206.ccls. and (receipt or receiv\$3	USPAT;	2004/07/10
		or occur\$5 or messag\$5 or event or mail	US-PGPUB;	15:48
		or email or electronic\$3 or arriv\$4 or	EPO;	
		new or detect\$3) near5 notif\$9) and	DERWENT	1
		(prepar\$5 or generat\$5 or creat\$5 or		
		utiliz\$4 or implemented or send\$3 or	1	
		transmi\$5 or using) near5 (tcp/IP or IP		
		or protocol or standard or smtp or ftp or		
		http or hypertext\$4 or open)) and	1	
		notif\$8 near5 (request\$4 or select\$5 or		
		choos\$5 or mechanism or format or pager	1	
		or message or mail or server or device or	1	
		computer or unit or adapter or interfac\$5	1	
		or driver or card or protocol or		
1		application or http or ftp or smtp or	1	
	1	hypertext\$3)		

[-	444	(((709/206.ccls. and (receipt or receiv\$3	USPAT;	2004/07/-10
	İ	or occur\$5 or messag\$5 or event or mail	US-PGPUB;	15:50
		or email or electronic\$3 or arriv\$4 or	EPO;	
		new or detect\$3) near5 notif\$9) and	DERWENT	
		(prepar\$5 or generat\$5 or creat\$5 or		
		utiliz\$4 or implemented or send\$3 or		
		transmi\$5 or using) near5 (tcp/IP or IP		
		or protocol or standard or smtp or ftp or		
	· ·	http or hypertext\$4 or open)) and		
		notif\$8 near5 (request\$4 or select\$5 or		
		choos\$5 or mechanism or format or pager		!
		or message or mail or server or device or		
		computer or unit or adapter or interfac\$5		
		or driver or card or protocol or	;	
		application or http or ftp or smtp or		
		hypertext\$3)) and notif\$8 near5 (send\$5		
		or receiv\$5 or transmi\$5 or submi\$5)		0004/07/10
-	461	(((709/206.ccls. and (receipt or receiv\$3	USPAT;	2004/07/10
		or occur\$5 or messag\$5 or event or mail	US-PGPUB;	15:50
		or email or electronic\$3 or arriv\$4 or	EPO;	
		new or detect\$3) near5 notif\$9) and	DERWENT	
		(prepar\$5 or generat\$5 or creat\$5 or		
		utiliz\$4 or implemented or send\$3 or		
		transmi\$5 or using) near5 (tcp/IP or IP		
		or protocol or standard or smtp or ftp or		
	ĺ	http or hypertext\$4 or open)) and		
ŧ i		notif\$8 near5 (request\$4 or select\$5 or		
		choos\$5 or mechanism or format or pager		
		or message or mail or server or device or		
		computer or unit or adapter or interfac\$5		
		or driver or card or protocol or		
		application or http or ftp or smtp or		
		hypertext\$3)) and notif\$8 near5		
		(request\$3 or send\$5 or receiv\$5 or		
		transmi\$5 or submi\$5)		
_	169	((((709/206.ccls. and (receipt or	USPAT;	2004/07/10
		receiv\$3 or occur\$5 or messag\$5 or event	US-PGPUB;	15:50
		or mail or email or electronic\$3 or	EPO;	
		arriv\$4 or new or detect\$3) near5	DERWENT	
		notif\$9) and (prepar\$5 or generat\$5 or	201,440141	
		creat\$5 or utiliz\$4 or implemented or		
		send\$3 or transmi\$5 or using) near5		
		(tcp/IP or IP or protocol or standard or		
		smtp or ftp or http or hypertext\$4 or open)) and notif\$8 near5 (request\$4 or		
1				
		select\$5 or choos\$5 or mechanism or		
		format or pager or message or mail or		
		server or device or computer or unit or		
		adapter or interfac\$5 or driver or card		
		or protocol or application or http or ftp		1
		or smtp or hypertext\$3)) and notif\$8		
		near5 (request\$3 or send\$5 or receiv\$5 or		i
}		transmi\$5 or submi\$5)) and notif\$8 near3		
1	l	server		

	3.9-	-(-(-(-(-(-709/206.cclsand -(-receipt-or-	USPAT;	-2004/07/10
ľ		receiv\$3 or occur\$5 or messag\$5 or event	US-PGPUB;	15:54
+		or mail or email or electronic\$3 or	EPO;	
		arriv\$4 or new or detect\$3) near5	DERWENT	
		notif\$9) and (prepar\$5 or generat\$5 or		
		creat\$5 or utiliz\$4 or implemented or		
		send\$3 or transmi\$5 or using) near5		
		(tcp/IP or IP or protocol or standard or		
		smtp or ftp or http or hypertext\$4 or		
		open)) and notif\$8 near5 (request\$4 or		
		select\$5 or choos\$5 or mechanism or		
		format or pager or message or mail or		
		server or device or computer or unit or		
		adapter or interfac\$5 or driver or card		
		or protocol or application or http or ftp		
		or smtp or hypertext\$3)) and notif\$8		
		near5 (request\$3 or send\$5 or receiv\$5 or		
		transmi\$5 or submi\$5)) and notif\$8 near3		
		server) and @ad<19990620		0004/05/00
-	Ü	rfc near5 http near5 value	USPAT;	2004/07/10
+			US-PGPUB;	15:55
			EPO;	
	956	nfa noart http	DERWENT	2004/07/10
-	956	rfc near5 http	USPAT; US-PGPUB;	2004/07/10
1			EPO;	12:22
			DERWENT	
_	7	(rfc near5 http) same pair	USPAT;	2004/07/10
	′	tire nears need / same part	US-PGPUB;	18:24
			EPO;	10.27
1			DERWENT	